

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	315070	calibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:50
L2	37575	(initial default) near5 (power gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:24
L3	962	1 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:24
L4	156701	"455"/\$.ccls. "375"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:25
L5	85	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:25
L6	318295	1 re-calibrat\$3 recalibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:50
L7	50693	temperature same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:51
L8	3677073	gain power	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:51
L9	41439	6 same 8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:51
L10	10773	7 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:51
L11	525	4 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:51

EAST Search History

L12	496	11 not 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/16 18:51
-----	-----	----------	---	----	----	------------------